



Studio Sound Panels

Many people like to do some acoustic treatment for their studio. Then the Studio Sound Panels are necessary. We produce the polyester fiber panel as the studio sound Panel. It is made of non-combustible, microporous treated special polyester fiber.

Wholesale Cheap Studio Sound Panels Price

Adhering to the principle of "quality, service, efficiency and growth", we have gained trusts and praises from domestic and international client for Leading Manufacturer for China Studio Sound Panels, Let's cooperate hand in hand to jointly generate a beautiful foreseeable future. We sincerely welcome you to visit our corporation or call us for cooperation! Leading Manufacturer for China Building Material, Ceiling Tile, To have much more enterprise. ompanions, we've got updated the item list and seek for optimistic co-operation. Our web-site shows the latest and complete information and facts about our merchandise list and company. For further acknowledge, our consultant service group in Bulgaria will reply to all of the inquiries and complications immediately. They're about to make their finest effort to meet buyers need. Also we support the delivery of absolutely free samples. Business visits to our business in Bulgaria and factory are generally welcome for a win-win negotiation. Hope to expertise a happy company co-operation perform with you.

1. Product Introduction of Studio sound panels

Many people like to do some acoustic treatment for their studio. Then the acoustic panel is necessary. We produce the polyester fiber panel as the studio sound Panel. It is made of non-combustible, microporous treated special polyester fiber. There are a variety of colors and patterns of decorative cloth to choose from. As an acoustic material that has been widely used all over the world, it Proven to have excellent sound absorption properties. The appearance is beautiful and generous, and there is no lack of warm and elegant feeling. This product can not only reduce the noise, but also make the reverberation time reach the acoustic design standard, $NRC > 0.8$, the acoustic adjustment is convenient, and it can provide users with the best acoustic solution. In addition to acoustic requirements, every indoor space has its own specific artistic pursuit. The

choice of polyester fiber sound-absorbing board finishes is rich and colorful, which can be formulated according to the individual requirements of users, providing the greatest possibility for achieving your goals. Make the environmental sound quality fuller, clearer and richer in three-dimensional.

2. Specification of Studio sound panels

Core	Polyester Fiber
Thickness	9mm 12mm
Size	1220x2420mm
Weight	1.2-2kg/sqm
NRC	0.9-0.95
Feature	Flame retardant and Acoustic

3 .Applications of Studio sound panels

The polyester fiber panel is widely used in the following areas: Cinema, theater, healthcare center, shopping malls, clubs, education room, stadium, home decoration, office, baffle, home theater, meeting room. It can provide a safe, quite and delightful environment for the people inside.

4. The Advantage of Qdboss Acoustic Studio sound panels

Qdboss Acoustic has the patent technology to make the polyester fiber panel flame retardant during production. That's to say, our panel is flame retardant after production. The performance is as good as the panel made of FR fibers, while the cost is half. Unlike the old soaking method, we can arrange the shipment as soon as the production. More environment friends, no smell, not sticker or wet on the surface.

5. Qualification of Studio sound panels



We have 7 modern workshops and production line, with patent technology to make the stable products. Qdboss produces flame retardant Studio sound panels, fabric wrapped fiberglass acoustic panel, fiberglass acoustic ceiling.

6 Packing of Studio sound panels

We have standard carton packing for the full size polyester fiber panel (1220x2420*9mm), 10 pieces per carton, and the carton size is 2450x1250x105mm. Custom size cartons can also be made according to the sizes required by the client. And non-fumigation pallet can also be used upon request





www.qdbossacoustic.com

7 Loading Quantity of Studio sound panels

The full size polyester panel can be loaded 800 pieces in 20ft container.

The full size polyester panel can be loaded 1600 pieces in 40ft GP container.

The full size polyester panel can be loaded 1900 pieces in 40ft HC container.

And more quantity can be loaded if the polyester panel is cut to small sizes.